
VERNON
ROYAL
LINE

SPECIES Dipsosaurus dorsalis TAG. NO. 201

CONTAINER NO. R8 SEX ♂ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 132

DATE MAY 14 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) ———

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. _____ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES _____ TAG. NO. _____

CONTAINER NO. _____ SEX _____ AGE _____ TOE CLIP # _____

WEIGHT(gms) _____ SHOUT-VENT LENGTH(mm) _____

DATE _____ SPEEDOMETER _____

LOCALITY _____

COUNTY _____ CALIF.

STARTING TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ °C LOAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

_____

CHASE _____ FLEE

REMARKS: _____

_____

_____

_____

_____

_____

SPECIES *Diposaurus dorsalis* TAG. NO. 202

CONTAINER NO. R14 SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 119

DATE ~~MAY 14 1960~~ SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100-1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. _____ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES _____ TAG. NO. _____

CONTAINER NO. _____ SEX _____ AGE _____ TOE CLIPP _____

WEIGHT(gms) _____ SHOUT-VENT LENGTH(mm) _____

DATE _____ SPHEROMETER _____

LOCALITY _____

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(Ft.) _____

WIND VELOCITY(mi/hr) _____ °C ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FENT

REMARKS: _____

SPECIES *Dipsosaurus dorsalis* TAG. NO. 203

CONTAINER NO. R1 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 131

DATE MAY 21 1980 SPEEDOMETER 32598

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in sun at edge of road. Another within 3 feet escaped.

Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/code15dipsosauru00mayh_0

SPECIES Dipsosaurus dorsalis TAG. NO. 204

CONTAINER NO. R25 SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 136

DATE MAY 22 1960 SPEEDOMETER _____

LOCALITY 25 mi E. of 29 Palms

COUNTY ~~SAN BERNARDINO~~ CALIF.

STANDARD TIME 1110 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: Shade of Larrea

SPECIES _____ TAG. NO. _____

CONTAINER NO. _____ SEX _____ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE _____ SPIROMETER _____

LOCALITY _____

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ °C ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

PHASE _____ PERT

REMARKS: _____

SPECIES Dipsosaurus dorsalis TAG. NO. 205

CONTAINER NO. R 25 SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 128

DATE May 22, 1960 SPEEDOMETER _____

LOCALITY 25 mi E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES Dipsosaurus dorsalis TAG. NO. 206

CONTAINER NO. R16 SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 131

DATE MAY 22 1960 SPEEDOMETER _____

LOCALITY 25 mi E. of 29 Palms

COUNTY ~~SAN BERNARDINO~~ CALIF.

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: In burrow on bank at side of road

SPECIES Dipsosaurus dorsalis TAG. NO. 207

CONTAINER NO. R16 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 136

DATE MAY 22 1960 SPEEDOMETER _____

LOCALITY 25 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1135 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: In sun on roadside bank

SPECIES Dipsosaurus dorsalis TAG. NO. 208

CONTAINER NO. R16 SEX ♂ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 130

DATE MAY 22 1960 SPEEDOMETER _____

LOCALITY 25 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP — °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: In ann by Barrea

SPECIES Dipsosaurus dorsalis TAG. NO. 209

CONTAINER NO. R51 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 137

DATE MAY 22 1960 SPEEDOMETER _____

LOCALITY 23 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1145 CLOUDS(% overcast) _____

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: In area by Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 210

CONTAINER NO. R51 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 129

DATE MAY 22 1960 SPEEDOMETER _____

LOCALITY 5 mi S.E. of Old Dale

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1255 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: In sun on rock on sandy hillside.

SPECIES Dipsosaurus dorsalis TAG. NO. 211

CONTAINER NO R34 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 129

DATE MAY 22 1960 SPEEDOMETER _____

LOCALITY 5 mi S.E. of Old Dale

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1310 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 1800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: _____

SPECIES Dipsosaurus dorsalis TAG. NO. 212

CONTAINER NO. R37 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 128

DATE MAY 22 1960 SPEEDOMETER _____

LOCALITY 25 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES *Dipsosaurus dorsalis* TAG. NO. 213

CONTAINER NO. R27 SEX ♀ AGE ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 115

DATE _____ SPEEDOMETER 36855

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1200 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of *Larrea divericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 214

CONTAINER NO. R27 SEX ♂ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 133

DATE MAY 26 1960 SPEEDOMETER 36855

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1205 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in a Larrea divericata about one foot off the ground. It was on a dead branch in open sun.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 215

CONTAINER NO. R2 SEX ♂ AGE ad. TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 133

DATE MAY 26 1960 SPEEDOMETER 36855

LOCALITY *Palm Springs*

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: *in sun on top of Franceria dumosa, about 18" above the ground.*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 216

CONTAINER NO. R46 SEX ♂ AGE ad. TOE CLIP # 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 120

DATE MAY 26 1960 SPEEDOMETER 36855

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1220 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken shade beneath Larrea divericata.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 217

CONTAINER NO. R2 SEX ♂ AGE ad. TOE CLIP# 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 123

DATE MAY 26 1960 SPEEDOMETER 3685

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1230 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N-E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 38.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken shade in Larrea divericata about 2 ft. above the ground.

SPECIES Dipsosaurus dorsalis TAG. NO. 218

CONTAINER NO. R28 SEX ♂ AGE ad. TOE CLIP# 6

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 126

DATE MAY 2[illegible] 1966 SPEEDOMETER 36855

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1230 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 40.7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Opuntia.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 219

CONTAINER NO. R28 SEX ♀ ♂ AGE ad.? TOE CLIP# 7

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 114

DATE MAY 26 1960 SPEEDOMETER 36855

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1235 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50.+ °C CLOACAL TEMP 42.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in shade of Franceria dumosa — about 6 inches above the ground.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 220

CONTAINER NO. R4 SEX ♂ AGE ad. TOE CLIP# 8

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 123

DATE MAY 26 1960 SPEEDOMETER 36855

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 40.7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade in Larrea divericata about 8 inches above ground.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 221

CONTAINER NO. R4 SEX ♂ AGE ad. TOE CLIP# 9

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 133

DATE MAY 26 1964 SPEEDOMETER 36855

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun in Larrea divericata about 3 ft. above the ground. ♀ caught in same bush - thought to be a pair.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 222

CONTAINER NO. R4 SEX ♀ AGE ad. TOE CLIP# 10

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 115

DATE _____ SPEEDOMETER 36855

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 43.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Larrea divericata. ♂ caught in same bush - thought to be a pair.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 223

CONTAINER NO. R44 SEX ♀ AGE ad. TOE CLIP # 11

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 124

DATE _____ SPEEDOMETER 36855

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1320 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 42.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: in shade of Croton californica

SPECIES *Dipsosaurus dorsalis* TAG. NO. 224

CONTAINER NO. R43 SEX ♀ AGE ad.? TOE CLIP # 12

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 118

DATE MAY 20 1980 SPEEDOMETER 36855

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1355 CLOUDS(% overcast) 10 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: in sun on Franceria dumosa about 1 ft. above the ground

SPECIES *Dipsosaurus dorsalis* TAG. NO. 225

CONTAINER NO. R45 SEX ♀ AGE ad TOE CLIP # 13

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 117

DATE MAY 26 1960 SPEEDOMETER 36855

LOCALITY *Palm Springs*

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1410 CLOUDS(% overcast) 20 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: *in shade of Larrea divericata*

A ♂ & another ♀ caught within 10 feet.

All were caught about 20 feet from the

Riviera golf course (S.E. corner).

SPECIES *Dipsosaurus dorsalis* TAG. NO. 226

CONTAINER NO. R45 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 136

DATE _____ SPEEDOMETER 36855

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1410 CLOUDS(% overcast) 20 (Thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 10 FEET

REMARKS: in sun on top of pile of dirt

2 ♀♀ caught nearby — one was about 1 ft. away when first seen.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 227

CONTAINER NO. R45 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 125

DATE _____ SPEEDOMETER 36855

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1410 CLOUDS(% overcast) 20 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N, E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 0 FEET

REMARKS: in sun on top of pile of dirt. Ø was about 1 ft. away when first seen.

SPECIES Dipsosaurus dorsalis TAG. NO. 228

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 130

DATE May 22, 1960 SPEEDOMETER ____

LOCALITY 25 E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME ____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT creosote bush scrub

CHASE ____ FEET

REMARKS:

SPECIES Dipsosaurus dorsalis TAG. NO. 229

CONTAINER NO. X8 SEX ♂ AGE ad.? TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 109

DATE JUN 9 1960 SPEEDOMETER 42914

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1155 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SERIES

CHASE 2 FEET

REMARKS: In sun

Injured on arrival - UCR

SPECIES *Dipsosaurus dorsalis* TAG. NO. 230

CONTAINER NO. Y8 SEX ♀ AGE ad TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 115

DATE JUN 0 1960 SPEEDOMETER 42914

LOCALITY *Palm Springs*

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1215 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: *in broken shade of Larrea div.*

DOA - UCR

SPECIES Dipsosaurus dorsalis TAG. NO. 231

CONTAINER NO. R39 SEX ♂ AGE Ad ? TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 110

DATE JUN 9 1960 SPEEDOMETER 42914

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 1 FEET

REMARKS: In shade under Larrea

DOA - 4CR

SPECIES *Dipsosaurus dorsalis* TAG. NO. 232

CONTAINER NO. R10 SEX ♂ AGE ad TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 118

DATE JUN 1980 SPEEDOMETER 42915

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1300 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE 20 FEET

REMARKS: Sun DOA-UCR

SPECIES Dipsosaurus dorsalis TAG. NO. 233

CONTAINER NO. R4 SEX ♂ AGE Ad TOE CLIP# 3

EIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 121

DATE JUN 9 1960 SPEEDOMETER 42916

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1330 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 61.0 °C CLOACAL TEMP 40.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: In sun on hummock

DOA - UCR

SPECIES Dipodomys deserti TAG. NO. 234

CONTAINER NO. 845 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 124

DATE JUN 9 1960 SPEEDOMETER 42914

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1155 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) —

WIND VELOCITY(mi/hr) ____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.0 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Up in burrow dimidiata

DOA - UCR

SPECIES Dipsosaurus dorsalis TAG. NO. 235

CONTAINER NO. R45 SEX ♀ AGE A | ? TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 103

DATE JUN 9 1960 SPEEDOMETER 42914

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1230 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: Shade of Larrea

DOA - UCR

SPECIES Dipsosaurus dorsalis TAG. NO. 236

CONTAINER NO. R45 SEX ♀ AGE Ad TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 117

DATE JUN 9 1960 SPEEDOMETER 42914

LOCALITY Palm Springs

COUNTY [illegible] CALIF.

STANDARD TIME 1235 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 43.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRU[illegible]

CHASE 0 FEET

REMARKS: In shade underplank

DOA- UCR

SPECIES Dipsosaurus dorsalis TAG. NO. 237

CONTAINER NO. R32 SEX ♂ AGE Ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 125

DATE 9 June 1960 SPEEDOMETER 42912

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1140 CLOUDS(% overcast) 5

MOON ——— RELATIVE HUMIDITY(%) ———

WIND DIRECTION S. W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Creosote bush scrub

CHASE 6 FEET

REMARKS: In sun on dirt pile.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 238

CONTAINER NO. 48 SEX ♂ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 122

DATE JUN 9 1960 SPEEDOMETER 42914

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1200 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.0 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Shed

SPECIES *Dipsosaurus dorsalis* TAG. NO. 239

CONTAINER NO. Y6 SEX ♀ AGE ad. TOE CLIP # 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 126

DATE JUN 9 1969 SPEEDOMETER 42914

LOCALITY *Palm Springs*

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1220 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 42.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: *in sun on sand*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 240

CONTAINER NO. R39 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 131

DATE JUN 9 1960 SPEEDOMETER 48914

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1245 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in *Larrea divericata*

SPECIES Dipsosaurus dorsalis TAG. NO. 241

CONTAINER NO. R39 SEX ♂ AGE Ad TOE CLIP # 1

WEIGHT(gm) _____ SNOUT-VENT LENGTH(mm) 123

DATE JUN 9 1960 SPEEDOMETER 42914

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1235 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRU

CHASE 2 FEET

REMARKS: In shade 1 ft. up in Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 242

CONTAINER NO. R10 SEX ♂ AGE Ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 123

DATE JUN 7 [illegible] SPEEDOMETER 42915

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1255 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 41.9 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: In shade under Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 243

CONTAINER NO. R10 SEX ♂ AGE Ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 125

DATE JUN 1 80 SPEEDOMETER 42915

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1255 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 65.0 °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: In shade under barrel

SPECIES Dipsosaurus dorsalis TAG. NO. 244

CONTAINER NO. R4 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 132

DATE JUN 1960 SPEEDOMETER 42915

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1305 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 61.0 °C CLOACAL TEMP 40.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Shade of Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 245

CONTAINER NO. R4 SEX ♂ AGE Ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 121

DATE 9 June 1960 SPEEDOMETER 29 16

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1325 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 61.0 °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT MESQUITE BUSH SCRUB

CHASE 0 FEET

REMARKS: Ran seen on hummock

SPECIES Dipsosaurus dorsalis TAG. NO. 246

CONTAINER NO. R2 SEX ♂ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 120

DATE JUN 9 1960 SPEEDOMETER 42916

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1335 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 61.0 °C CLOACAL TEMP 42.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: In sun on hummock

SPECIES Dipsosaurus dorsalis TAG. NO. 247

CONTAINER NO. R2 SEX ♂ AGE Ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 124

DATE JUN 9 1960 SPEEDOMETER 42816

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1340 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 61.0 °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: In sun - walking in wood.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 248

CONTAINER NO. R26 SEX ♂ AGE ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 122

DATE JUN 9 1960 SPEEDOMETER 42915

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1315 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 61.0 °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 25 FEET

REMARKS: in sun on top of sand pile

SPECIES *Dipsosaurus dorsalis* TAG. NO. 249

CONTAINER NO. R26 SEX ♂ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 120

DATE JUN 1960 SPEEDOMETER 42915

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1318 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 61.0 °C CLOACAL TEMP 39.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 18 FEET

REMARKS: in sun on sand

SPECIES Dipsosaurus dorsalis TAG. NO. 250

CONTAINER NO. R44 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 123

DATE JUL 30 SPEEDOMETER# 2921

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1405 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.0 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 61.0 °C CLOACAL TEMP 41.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: On blacktop in sun - Possibly one of a pair.

SPECIES Dipsosaurus dorsalis TAG. NO. 251

CONTAINER NO. R44 SEX ♀ AGE ad. TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 112

DATE JUN 1960 SPEEDOMETER 42921

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1405 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.0 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 61.0 °C CLOACAL TEMP 41.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: Ran across on blacktop - Possibly one of a pair

SPECIES Dipsosaurus dorsalis TAG. NO. 252

CONTAINER NO. R6 SEX ♂ AGE Ad TOE CLIP# ~~136~~

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 136

DATE JUN 1960 SPEEDOMETER 43 033

LOCALITY 8 mi W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1740 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 39.8 °C

SOIL SURFACE TEMP 45.6 °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 40 FEET

REMARKS: In sun on blacktop

SPECIES *Dipsosaurus dorsalis* TAG. NO. 253

CONTAINER NO. R46 SEX ♂ AGE ad? TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 108

DATE June 10, 1960 SPEEDOMETER 43111

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 40.4 °C CLOACAL TEMP 37.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 10 FEET

REMARKS: in sun at edge of pavement

Orange on sides.

SPECIES *Dipsosaurus dorsalis* TAG. NO. *254*

CONTAINER NO. *R46* SEX *♂* AGE *ad.* TOE CLIP # *2*

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *128*

DATE JUN 10 1960 SPEEDOMETER *43111*

LOCALITY *7 mi. W. of Glamis*

COUNTY IMPERIAL CALIF.

STANDARD TIME *0825* CLOUDS(% overcast) *0*

MOON *–* RELATIVE HUMIDITY(%) *–*

WIND DIRECTION *S.W.* ALTITUDE(ft.) *300*

WIND VELOCITY(mi/hr) *0-3* ROAD TEMP. _____ °C

AIR TEMP(30 in) *30.0* °C AIR TEMP(1 cm) *33.0* °C

SOIL SURFACE TEMP *40.4* °C CLOACAL TEMP *40.2* °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE *0* FEET

REMARKS: *at edge of pavement*

SPECIES Dipsosaurus dorsalis TAG. NO. 255

CONTAINER NO. R37 SEX ♀ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 139

DATE JUN 10 1960 SPEEDOMETER 43112

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 40.4 °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 60 FEET

REMARKS: at edge of pavement. Thought to be one of a pair.

Left oviduct—2 eggs:	Right oviduct— 2 eggs:
32.4 X 15.6 mm.	31.7 X 16.6 mm.
31.0 X 16.1 "	31.6 X 15.1 "

SPECIES *Dipsosaurus dorsalis* TAG. NO. 256

CONTAINER NO. R37 SEX ♂ AGE ad. TOE CLIP# 2

WEIGHT(gm:) _____ SNOUT-VENT LENGTH(mm) 136

DATE JUN 10 1960 SPEEDOMETER 43112

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0840 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 40.4 °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: at edge of pavement. Thought to be one of a pair.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 257

CONTAINER NO. 834 SEX ♂ AGE ad. TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 188

DATE JUN 10 1960 SPEEDOMETER 43112

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) -

WIND DIRECTION S. W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 47.8 °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on pavement

SPECIES *Dipsosaurus dorsalis* TAG. NO. 258

CONTAINER NO. R34 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 123

DATE [illegible] SPEEDOMETER 43113

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 47.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: on pavement

SPECIES Dipsosaurus dorsalis TAG. NO. 259

CONTAINER NO. R27 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 107

DATE JUN 1 0 1960 SPEEDOMETER 43113

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 47.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: on edge of pavement

SPECIES *Dipsosaurus dorsalis* TAG. NO. 260

CONTAINER NO. R27 SEX ♀ AGE ad? TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 110

DATE JUN 13 1960 SPEEDOMETER 43114

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) –

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 47.8 °C CLOACAL TEMP 42.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: at edge of pavement

SPECIES *Dipsosaurus dorsalis* TAG. NO. 261

CONTAINER NO. R24 SEX ♂ AGE ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 138

DATE AUG 1 1980 SPEEDOMETER 43115

LOCALITY 11 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 47.8 °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: at edge of pavement

SPECIES Dipsosaurus dorsalis TAG. NO. 262

CONTAINER NO. R24 SEX ♂ AGE ad? TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 112

DATE _____ SPEEDOMETER 43115

LOCALITY 11 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 36.8 °C

SOIL SURFACE TEMP 57.0 °C CLOACAL TEMP 43.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible] BUSH SCRUB

CHASE 20 FEET

REMARKS: at edge of pavement

SPECIES *Dipsosaurus dorsalis* TAG. NO. 263

CONTAINER NO. R24 SEX ♂ AGE ad. TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 126

DATE JUN 10 1980 SPEEDOMETER 43116

LOCALITY 12 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 57.0 °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: on pavement

SPECIES Dipsosaurus dorsalis TAG. NO. 264

CONTAINER NO. R25 SEX ♀ AGE ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 121

DATE JUN 10 1960 SPEEDOMETER 43120

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 380

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 57.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: on edge of pavement

SPECIES *Dipsosaurus dorsalis* TAG. NO. *265*

CONTAINER NO. *R28* SEX ___ AGE *ad?* TOE CLIP # *2*

WEIGHT(gms) ___ SNOUT-VENT LENGTH(mm) *108*

DATE ~~JUN~~ 1980 SPEEDOMETER *43120*

LOCALITY *9 mi. W. of Glamis*

COUNTY ~~IMPERIAL~~ CALIF.

STANDARD TIME *1030* CLOUDS(% overcast) *0*

MOON *—* RELATIVE HUMIDITY(%) *—*

WIND DIRECTION *0* ALTITUDE(ft.) ~~300~~

WIND VELOCITY(mi/hr) *0* ROAD TEMP. ___ °C

AIR TEMP(30 in) *34.5* °C AIR TEMP(1 cm) *39.0* °C

SOIL SURFACE TEMP *57.0* °C CLOACAL TEMP *40.8* °C

ROCK SURFACE TEMP ___ °C SUBSTRATE TEMP ___ °C

HABITAT ~~CREOSOTE BUSH SCRUB~~

CHASE *30* FEET

REMARKS: *in shade of Franceria dumosa*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 266

CONTAINER NO. R28 SEX ♂ AGE ad TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 139

DATE JUN 10 1960 SPEEDOMETER 43121

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 57.0 °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: at edge of pavement

SPECIES Dipsosaurus dorsalis TAG. NO. 267

CONTAINER NO. R48 SEX ♀ AGE ad.? TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 106

DATE June 10, 1960 SPEEDOMETER 43149

LOCALITY 14 mi. E. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1405 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1250

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 37.5 °C AIR TEMP(1 cm) 41.2 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 42.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT rocky slopes

CHASE 50 FEET

REMARKS: catclaw-filled wash

SPECIES Dipsosaurus dorsalis TAG. NO. 268

CONTAINER NO. Y9 SEX ♀ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 121

DATE JUN 1 1 1990 SPEEDOMETER 305

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0840 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 32.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Caught in same bush with ♂ which showed courtship behavior - Probably a pair.

SPECIES Dipsosaurus dorsalis TAG. NO. 269

CONTAINER NO. Y9 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 137

DATE JUN 11 '60 SPEEDOMETER 305

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0840 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 32.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: Ran across road - ♀ in same bush, probably a pair - ♂ showed courting action - Puffed up, bobbed, + dewlapped

SPECIES *Dipsosaurus dorsalis* TAG. NO. 270

CONTAINER NO. Y7 SEX ____ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 129

DATE JUN 11 [illegible] SPEEDOMETER 43305

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ____ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 32.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun on top of rock at edge of pavement.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 271

CONTAINER NO. Y7 SEX ♂ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 133

DATE JUN 11 1960 SPEEDOMETER 43306

LOCALITY 26 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.2 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 48.4 °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of *Larrea divericata*

SPECIES Dipsosaurus dorsalis TAG. NO. 272

CONTAINER NO. Y7 SEX ♂ AGE ad. TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 131

DATE JUN 11 1960 SPEEDOMETER 43306

LOCALITY 26 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0930 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.2 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 48.4 °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on rock at edge of pavement

SPECIES *Dipsosaurus dorsalis* TAG. NO. 273

CONTAINER NO. R17 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 134

DATE JUN 11 19[illegible] SPEEDOMETER 43307

LOCALITY 27 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.2 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 48.4 °C CLOACAL TEMP 41.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: on rock in sun — at edge of pavement

SPECIES *Dipsosaurus dorsalis* TAG. NO. 274

CONTAINER NO. R17 SEX ♂ AGE ad? TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 102

DATE JUN 11 1960 SPEEDOMETER 43705

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1005 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.2 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 48.4 °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade at entrance to hole beneath *Larrea divericata*

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 275

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 130

DATE JUN 11 1960 SPEEDOMETER 43311

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: broken shade of Larrea. A Uma scoparia was captured at the same time 6 inches away.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 276

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP # 11

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 133

DATE JUN 11 1960 SPEEDOMETER 43122

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT ~~OCOTE BUSH SCRUB~~

CHASE 0 FEET

REMARKS: shade of Larrea

SPECIES *Dipsosaurus dorsalis* TAG. NO. 277

CONTAINER NO. R16 SEX ♂ AGE ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 138

DATE JUN 11 1980 SPEEDOMETER 43122

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 42.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: in shade of Larrea.

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 278

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 139

DATE JUN 11 1960 SPEEDOMETER 43311

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: shade of Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 279

CONTAINER NO. R16 SEX ♂ AGE ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 130

DATE JUN 11 1960 SPEEDOMETER 43122

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in open sun

SPECIES *Dipsosaurus dorsalis* TAG. NO. 280

CONTAINER NO. R18 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 137

DATE JUN 11 1960 SPEEDOMETER 43311

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 40.7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE 1 FEET

REMARKS: shade of *Larrea divericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 281

CONTAINER NO. R15 SEX ♂ AGE ad. TOE CLIP # 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 130

DATE _____ SPEEDOMETER 43312

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 43.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: in shade of Larrea. One of pair.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 282

CONTAINER NO. R15 SEX ♀ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) [redacted]121

DATE JUN 11 1960 SPEEDOMETER 43312

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 45.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Larrea. One of pair

SPECIES *Dipsosaurus dorsalis* TAG. NO. 283

CONTAINER NO. R15 SEX ♂ AGE ad? TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) [redacted] 115

DATE JUN 11 1960 SPEEDOMETER 43122

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.5 °C AIR TEMP(1 cm) [redacted] °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: shade of *Dalea emoryi*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 284

CONTAINER NO. R18 SEX ♀ AGE ad ? TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 117

DATE JUN 11 1980 SPEEDOMETER 43122

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in shade of Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 285

CONTAINER NO. R18 SEX ♀ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 116

DATE JUN 11 1960 SPEEDOMETER 43122

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1155 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: in shade of Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 286

CONTAINER NO. R40 SEX ♂ AGE ad TOE CLIP # 1?

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 127

DATE JUN 11 1981 SPEEDOMETER 43122

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 1480

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: in shade of Larrea

SPECIES *Dipsosaurus dorsalis* TAG. NO. 287

CONTAINER NO. R40 SEX ♂ AGE ad TOE CLIP # 2?

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 130

DATE JUN 11 1960 SPEEDOMETER 43122

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1420

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in shade of Larrea

SPECIES D. panamintinus dorsalis TAG. NO. 288

CONTAINER NO. R18 SEX ♀ AGE Ad TOE CLIP# 11

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 131

DATE JUN 11 1960 SPEEDOMETER 351[illegible]

LOCALITY 14 Mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON —— RELATIVE HUMIDITY(%) ——

WIND DIRECTION —— ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.0 °C AIR TEMP(1 cm) 42.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE 40 FEET

REMARKS: In shade of Larrea divaricata

SPECIES *Dipsosaurus dorsalis* TAG. NO. 289

CONTAINER NO. R29 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 132

DATE JUN 11 1960 SPEEDOMETER 43362

LOCALITY 10 mi. S.E. of Old Dale

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1550 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in shade of *Larrea divericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 290

CONTAINER NO. R11 SEX ♂ AGE Ad TOE CLIP# 11

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 132

DATE JUN 12 1960 SPEEDOMETER 43459

LOCALITY 3 mi E. of Cornet

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0725 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.2 °C AIR TEMP(1 cm) 31.0 °C

SOIL SURFACE TEMP 42.0 °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Creosote bush scrub

CHASE 10 FEET

REMARKS: In sun on rock

SPECIES Dipsosaurus dorsalis TAG. NO. 291

CONTAINER NO. R11 SEX ♀ AGE ad. TOE CLIP# ● 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 121

DATE JUN 12 1960 SPEEDOMETER 43466

LOCALITY 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0755 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) 31.0 °C

SOIL SURFACE TEMP 42.0 °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: in shade of Larrea. Thought to be one of pair.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 292

CONTAINER NO. R11 SEX ♂ AGE ad. TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 125

DATE JUN 12 1960 SPEEDOMETER 43466

LOCALITY 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0758 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) 31.0 °C

SOIL SURFACE TEMP 42.0 °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Larrea. Thought to be one of pair.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 293

CONTAINER NO. R29 SEX ♀ AGE ad. TOE CLIP # 11

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 122

DATE JUN 12 1960 SPEEDOMETER 43467

LOCALITY 1 mi. W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0820 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) 31.0 °C

SOIL SURFACE TEMP 42.0 °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: broken shade of Larrea

SPECIES *Dipsosaurus dorsalis* TAG. NO. 294

CONTAINER NO. R22 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 121

DATE [illegible] SPEEDOMETER 43467

LOCALITY 1 mi. W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION S.E. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) 31.0 °C

SOIL SURFACE TEMP 42.0°C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: broken shade of Larrea

LEFT OVIDUCT - 2 EGGS. RIGHT OVIDUCT - 2 EGGS.

26.6 x 14.4 mm 25.2 x 19.1 mm

25.8 x 14.3 mm 28.5 x 12.8 mm

SPECIES Dipsosaurus dorsalis TAG. NO. 295

CONTAINER NO. R22 SEX ♀ AGE ad TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 110

DATE JUN 12 1980 SPEEDOMETER 43476

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38.8 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: foraging in open

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 296

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP# 0

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 120

DATE JUN 12 1960 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ____ °C

AIR TEMP(30 in) 30.5° °C AIR TEMP(1 cm) 31.0° °C

SOIL SURFACE TEMP 42.0° °C CLOACAL TEMP — °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: IN SUN ON SAND DUNE.

SPECIES Dipsosaurus dorsalis TAG. NO. 297

CONTAINER NO. R31 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 130

DATE 15 July 1960 SPEEDOMETER _____

LOCALITY 24 mi E of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1730 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 42.8 °C AIR TEMP(1 cm) 44 °C

SOIL SURFACE TEMP 42.8 °C CLOACAL TEMP 44.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Shade of Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 298

CONTAINER NO. R51 SEX ♂ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 119

DATE 15 July 1960 SPEEDOMETER _____

LOCALITY 22 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1830 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 40.6 °C AIR TEMP(1 cm) 41 °C

SOIL SURFACE TEMP 43 °C CLOACAL TEMP 40.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Shade of Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 299

CONTAINER NO R43 SEX ♀ AGE Ad ? TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 112

DATE 16 July 1960 SPEEDOMETER 43856

LOCALITY 2¼ mi E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 0635 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: Ran sun on rock

SPECIES Dipsosaurus dorsalis TAG. NO. 300

CONTAINER NO. R6 SEX ♂ AGE _____ TOE CLIP # _____

WEIGHT(gms) _____ SNOUT VENT LENGTH(mm) 134

DATE JUL 16 1980 SPEEDOMETER 43866

LOCALITY 28 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0815 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~36 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: In sun on rock

SPECIES Dipsosaurus dorsalis TAG. NO. 301

CONTAINER NO. R6 SEX ♂ AGE _____ TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 137

DATE ~~JUL 1~~ 1960 SPEEDOMETER 43867

LOCALITY 27 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~38 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: In sun on rock

SPECIES Dipsosaurus dorsalis TAG. NO. 302

CONTAINER NO. R24 SEX ♂ AGE Ad TOE CLIP # F

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 130

DATE JUL 16 1960 SPEEDOMETER 43867

LOCALITY 27 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 03 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~38 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: One seen in sun

SPECIES Dipsosaurus dorsalis TAG. NO. 303

CONTAINER NO. R27 SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 134

DATE JUL 16 1960 SPEEDOMETER 869

LOCALITY 25 Mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0925 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~40 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: Seen on roadside bank

SPECIES Dipodomys dorsalis TAG. NO. 304

CONTAINER NO. R27 SEX ♀ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 138

DATE JUL 16 1960 SPEEDOMETER 870

LOCALITY 24 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0935 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 40.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 41.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: Under Larrea in shade.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 305

CONTAINER NO. R27 SEX ♀ AGE Ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 125

DATE JUL 16 1960 SPEEDOMETER 820

LOCALITY 24 miles E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 40.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 43.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: Shade of Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 306

CONTAINER NO. R2 SEX ♂ AGE Ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 128

DATE JUL 16 1960 SPEEDOMETER 872

LOCALITY 22 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) ———

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 42 °C AIR TEMP(1 cm) 45.4 °C

SOIL SURFACE TEMP 59 °C CLOACAL TEMP 44.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: Shade of Larrea

SPECIES *Dipsosaurus dorsalis* TAG. NO. 307

CONTAINER NO. B2 SEX ♂ AGE Ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 125

DATE JUL 16 1970 SPEEDOMETER 874

LOCALITY 20 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1040 CLOUDS(% overcast) _____

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 42 °C AIR TEMP(1 cm) 45.4 °C

SOIL SURFACE TEMP 59 °C CLOACAL TEMP 42.7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: shade under Dalea spinosa

SPECIES Dipsosaurus dorsalis TAG. NO. 308

CONTAINER NO. R 14 SEX ♂ AGE _____ TOE CLIP # _____

WEIGHT(gm) _____ SNOUT-VENT LENGTH(mm) 140

DATE JUL 17 1960 SPEEDOMETER 44096

LOCALITY 8 mi W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0745 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 39.2 °C AIR TEMP(1 cm) 43.8 °C

SOIL SURFACE TEMP 49.4 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: In sun beside road

SPECIES Dipsosaurus dorsalis TAG. NO. 309

CONTAINER NO. R41 SEX ♂ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 140

DATE JUL 17 1980 SPEEDOMETER 44097

LOCALITY 9 mi W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0800 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 39.2 °C AIR TEMP(1 cm) 43.8 °C

SOIL SURFACE TEMP 49.4 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: On pavement

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 310

CONTAINER NO. R18 SEX ____ AGE ____ TOE CLIP# ~~FF6~~

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 116

DATE JUL 23 1960 SPEEDOMETER ____

LOCALITY [redacted] Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0815 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 50

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 44.6 °C CLOACAL TEMP [redacted] 41.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: On rock in sun

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 311

CONTAINER NO. R18 SEX ____ AGE ____ TOE CLIP# 1

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 118

DATE JUL 23 1960 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0825 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ____ °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 44.6 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0' FEET

REMARKS: Open sun under Dalea emoryi

SPECIES DIPOSAURUS DORSALIS TAG. NO. 317

CONTAINER NO. R18 SEX ♂ AGE Ad TOE CLIP# Left Front Foot missing

WEIGHT(gr) _____ SNOUT-VENT LENGTH(mm) 125

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0845 CLOUDS(% overcast) 10

MOON ——— RELATIVE HUMIDITY(%) ———

WIND DIRECTION S.W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 44.6 °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: Shade of barrel

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 3/3

CONTAINER NO. R5 SEX ♂ AGE _____ TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 123

DATE 23 JULY, 1960 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 314

CONTAINER NO. B5 SEX ♀ AGE Ad ? TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 98

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0910 CLOUDS(% overcast) 10 - 20

MOON — RELATIVE HUMIDITY(%) ——

WIND DIRECTION S. W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0 - 3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35 °C AIR TEMP(1 cm) 39.5 °C

SOIL SURFACE TEMP 48.4 °C CLOACAL TEMP 42.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 60 FEET

REMARKS: Open Sun

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 315

CONTAINER NO. Y13 SEX ♂ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 125

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0920 CLOUDS(% overcast) 10-20

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38 °C

SOIL SURFACE TEMP 49.5 °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 75 FEET

REMARKS: In sun on pavement

SPECIES UMSOSAURUS DORSALIS TAG. NO. 316

CONTAINER NO. R7 SEX ♂ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 124

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0925 CLOUDS(% overcast) 25

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38 °C

SOIL SURFACE TEMP 49.5 °C CLOACAL TEMP 41.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: Open area

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 317

CONTAINER NO. R7 SEX ♂ AGE Ad. TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 113

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0930 CLOUDS(% overcast) 25

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38 °C

SOIL SURFACE TEMP 49.5 °C CLOACAL TEMP 44.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: Broken shade of Larrea

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 318

CONTAINER NO. R42 SEX ♂ AGE Ad? TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 95

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1110 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38 °C AIR TEMP(1 cm) 42.5 °C

SOIL SURFACE TEMP 65.5 °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Up in Francisia

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 319

CONTAINER NO. R5 SEX ♂ AGE A9. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 113

DATE JULY 23, 1960 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 320

CONTAINER NO. Y13 SEX ♂ AGE AD. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 122

DATE July 23, 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 321

CONTAINER NO. Y1 SEX ♂ AGE AD. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 126

DATE JULY 23, 1960 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 322

CONTAINER NO. R1 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 123

DATE Aug. 9, 1960 SPEEDOMETER 5242

LOCALITY 9 mi W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1200 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.4 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 43.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 323

CONTAINER NO. R45 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 121

DATE Aug. 9, 1960 SPEEDOMETER _____

LOCALITY 11 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 45.0 °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 150 FEET

REMARKS: On open sand in sun

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 324

CONTAINER NO. R20 SEX ♀ AGE ad. TOE CLIP# 4

WEIGHT(gr.) _____ SNOUT-VENT LENGTH(mm) 124

DATE AUG 10 1980 SPEEDOMETER _____

LOCALITY 21 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0925 CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.8 °C AIR TEMP(1 cm) 34.6 °C

SOIL SURFACE TEMP 46.8 °C CLOACAL TEMP 41.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of creosote bush

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 325

CONTAINER NO. R 20 SEX ♀ AGE ad. TOE CLIP# 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 132

DATE AUG 10 1960 SPEEDOMETER _____

LOCALITY 21 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1005 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.8 °C AIR TEMP(1 cm) 34.6 °C

SOIL SURFACE TEMP 46.8 °C CLOACAL TEMP 41.9 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken shade of creosote bush

SPECIES UMA SCOPARIA TAG. NO. 326

CONTAINER NO. R42 SEX ♂ AGE 9d TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 134

DATE AUG 10 1960 SPEEDOMETER 5498

LOCALITY 21 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0905 CLOUDS(% overcast) 90

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 41.8 °C CLOACAL TEMP 40.9 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun on sand (sun covered by clouds)

SPECIES UTA STANSBURIANA TAG. NO. 327

CONTAINER NO. R42 SEX ♀ AGE ad. TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 119

DATE ~~AUG 10 1960~~ AUG 10-1960 SPEEDOMETER _____

LOCALITY 21 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0920 CLOUDS(% overcast) 90

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 41.8 °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: in broken shade beneath creosote bush

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 328

CONTAINER NO. R24 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 125

DATE AUG 10 1960 SPEEDOMETER 5498

LOCALITY 20 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0850 CLOUDS(% overcast) 80

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 41.8 °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken shade of dead creosote bush.

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 329

CONTAINER NO. R 14 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 127

DATE Aug. 9, 1960 SPEEDOMETER _____

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.8 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 45.4 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: shade of creosote bush

Left oviduct — 1 egg Right oviduct — 2 eggs

25.0 mm. x 11.5 mm. 23.3 mm. x 12.6 mm.

21.8 " x 13.0 "

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 330

CONTAINER NO. R7 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 131

DATE AUG [illegible] SPEEDOMETER _____

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1018 CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ~~3-5~~ ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.8 ~~46.8~~ °C AIR TEMP(1 cm) 34.6 °C

SOIL SURFACE TEMP 46.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: under Larrea divericata

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 331

CONTAINER NO. R7 SEX ♂ ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 125

DATE AUG 10 1960 SPEEDOMETER _____

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1018 CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.8 °C AIR TEMP(1 cm) 34.6 °C

SOIL SURFACE TEMP 46.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: under Larrea divericata

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 332

CONTAINER NO. R47 SEX ♂ ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 122

DATE AUG 10 1960 SPEEDOMETER _____

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0940 CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.8 °C AIR TEMP(1 cm) 34.6 °C

SOIL SURFACE TEMP 46.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: shade of creosote bush

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 333

CONTAINER NO. R47 SEX ♂ ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 125

DATE AUG 10 1960 SPEEDOMETER _____

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0940 CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.8 °C AIR TEMP(1 cm) 34.6 °C

SOIL SURFACE TEMP 46.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: shade of creosote bush

SPECIES LIPSOSAURUS DORSALIS TAG. NO. 334

CONTAINER NO. Y1 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 123

DATE AUG 10 1960 SPEEDOMETER

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0910 CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 33.8 °C AIR TEMP(1 cm) 34.6 °C

SOIL SURFACE TEMP 46.8 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: shade of creosote bush

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 335

CONTAINER NO. Y8 SEX ♀ AGE ad ? TOE CLIP# 1

WEIGHT (gms) _____ SNOUT-VENT LENGTH(mm) 113

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 4 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0840 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 43.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on rock in sun

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 336

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 124

DATE Aug. 11, 1960 SPEEDOMETER _____

LOCALITY 4 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: in sun at edge of road

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 337

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 125

DATE Aug. 11, 1960 SPEEDOMETER _____

LOCALITY 4 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on rock in sun

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 338

CONTAINER NO. Y13 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 122

DATE Aug. 15, 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 339

CONTAINER NO. Y13 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 132

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 340

CONTAINER NO. Y13 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 126

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475'

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 341

CONTAINER NO. 413 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 124

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 342

CONTAINER NO. Y13 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 129

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 343

CONTAINER NO. Y13 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 131

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT LARREA BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 344

CONTAINER NO. Y 11 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 125

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 345

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 122

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 346

CONTAINER NO. Y 11 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 123

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 347

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 133

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 348

CONTAINER NO. V11 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 127

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 349

CONTAINER NO. Y11 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 122

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 350

CONTAINER NO. R41 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 123

DATE Aug. 11, 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 351

CONTAINER NO. R21 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT (gms) _____ SNOUT-VENT LENGTH(mm) 123

DATE AUG 1 1 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 352

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 141

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 353

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 127

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES CNEMIDOPHORUS TIGRIS DORSALIS TAG. NO. 354

CONTAINER NO. R21 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 118

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 355

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 131

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 356

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 123

DATE Sept. 11, 1960 SPEEDOMETER ____

LOCALITY 12 mi. E. of TWENTY-NINE PALMS

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT ____

CHASE ____ FEET

REMARKS: ____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 357

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 128

DATE Sept. 11, 1960 SPEEDOMETER ____

LOCALITY 22 mi. E. of Twenty-nine Palms

COUNTY San Bernardino CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT ____

CHASE ____ FEET

REMARKS: ____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 358

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 130

DATE Sept. 11, 1960 SPEEDOMETER ____

LOCALITY 22 mi. E. of TWENTY-NINE PALMS

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT ____

CHASE ____ FEET

REMARKS: ____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 359

CONTAINER NO. ___ SEX ♂ AGE ad. TOE CLIP # ___

WEIGHT(gms) ___ SNOUT-VENT LENGTH(mm) 121

DATE Sept. 11, 1960 SPEEDOMETER ___

LOCALITY 22 mi. E. of TWENTY-NINE PALMS

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME ___ CLOUDS(% overcast) ___

MOON ___ RELATIVE HUMIDITY(%) ___

WIND DIRECTION ___ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) ___ ROAD TEMP. ___ °C

AIR TEMP(30 in) ___ °C AIR TEMP(1 cm) ___ °C

SOIL SURFACE TEMP ___ °C CLOACAL TEMP ___ °C

ROCK SURFACE TEMP ___ °C SUBSTRATE TEMP ___ °C

HABITAT ___

CHASE ___ FEET

REMARKS: ___

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 360

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 124

DATE Sept. 11, 1960 SPEEDOMETER ____

LOCALITY 22 mi. E. of TWENTY-NINE PALMS.

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT ____

CHASE ____ FEET

REMARKS: ____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 361

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 120

DATE Sept. 14, 1960 SPEEDOMETER ____

LOCALITY 22 mi. E. of TWENTY-NINE PALMS

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT ____

CHASE ____ FEET

REMARKS: ____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 362

CONTAINER NO. ____ SEX ♀ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 118

DATE Sept. 16, 1960 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT Creosote Bush Scrub

CHASE ____ FEET

REMARKS: ____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 363

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 120

DATE SEPT. 16, 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB.

CHASE ____ FEET

REMARKS: ____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 364

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 123

DATE SEPT. 16, 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 365

CONTAINER NO. _____ SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 118

DATE SEPT. 16, 1960 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 366

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 124

DATE SEPT. 16, 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 567

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 118

DATE Sept. 16, 1960 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT Creosote Bush Scrub.

CHASE ____ FEET

REMARKS: ____

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 368

CONTAINER NO. ___ SEX ♂ AGE ad.? TOE CLIP # ___

WEIGHT(gms) ___ SNOUT-VENT LENGTH(mm) 113

DATE Sept 16, 1960 SPEEDOMETER ___

LOCALITY Palm Springs.

COUNTY Riverside CALIF.

STANDARD TIME ___ CLOUDS(% overcast) ___

MOON ___ RELATIVE HUMIDITY(%) ___

WIND DIRECTION ___ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ___ ROAD TEMP. ___ °C

AIR TEMP(30 in) ___ °C AIR TEMP(1 cm) ___ °C

SOIL SURFACE TEMP ___ °C CLOACAL TEMP ___ °C

ROCK SURFACE TEMP ___ °C SUBSTRATE TEMP ___ °C

HABITAT Creosote Bush Scrub.

CHASE ___ FEET

REMARKS: ___

SPECIES DIPSOSAURUS DORSALI TAG. NO. 369

CONTAINER NO. Y10 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 122

DATE APR 9 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON ~ RELATIVE HUMIDITY(%) _____

WIND DIRECTION S.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand. Under same bush as ♂ following.

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 370

CONTAINER NO. Y10 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 117

DATE APR 9 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand under same Larrea as preceding ♀.

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 371

CONTAINER NO. R39 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 122

DATE APR 9 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1230 CLOUDS(% overcast) 0

MOON ~ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 40,2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on pavement

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 372

CONTAINER NO. Y13 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 109

DATE APR 9 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1235 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION S. E ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand beneath Larrea

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 373

CONTAINER NO. Y6 SEX ♂ AGE ad? TOE CLIP# _____

WEIGHT(gm) _____ SNOUT-VENT LENGTH(mm) 114

DATE APR 9 [illegible] SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken shade beneath Larrea

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 374

CONTAINER NO. Y13 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 107

DATE APR 9 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: broken shade beneath Larrea

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 375

CONTAINER NO. R34 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 119

DATE APR 9 1951 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken shade of Larrea

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 376

CONTAINER NO. R23 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 121

DATE APR 9 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1305 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: shade of Larrea

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 377

CONTAINER NO. R29 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT (gms) _____ SNOUT-VENT LENGTH(mm) 118

DATE APR 9 1981 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1310 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in shade of Larrea

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 378

CONTAINER NO. R48 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 121

DATE APR 3 1981 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1310 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 37.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Larrea

SPECIES DIPSOSAURUS DORSALIS TAG NO. 379

CONTAINER NO. R47 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 111

DATE APR 9 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1320 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: broken shade of Larrea

SPECIES DIPSOSAURUS DORSALIS TAG NO. 380

CONTAINER NO. R47 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 104

DATE APR 9 [illegible] SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1325 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: broken shade of Larrea

SPECIES DIPSOSAURUS DORSALIS TAG NO. 381

CONTAINER NO. R7 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 103

DATE APR 9 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1335 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 43.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: broken shade of Larrea

SPECIES [illegible] TAG NO. 382

CONTAINER NO. R36 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 117

DATE APR 9 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: broken shade of Larrea

SPECIES DIPSOSAURUS DORSALIS TAG. NO. 383

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 126

DATE APR 9 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1315 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken shade beneath Larrea — 4 feet away in same bush 2 Crotalus cerastes were lying in broken shade at the base of the plant.

SPECIES DIPSOSAURUS DORSALIS TAG NO. 384

CONTAINER NO. 18 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 130

DATE APR 16 1961 SPEEDOMETER

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 385

CONTAINER NO. 1/10 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 128

DATE APR 16 1961 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 31.8 °C AIR TEMP(1 cm) 34.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 46.2 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: in sun at edge of pavement

SPECIES DIPSOSAURUS DORSALIS TAG NO. 386

CONTAINER NO. R5 SEX ♂ ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 118

DATE SPEEDOMETER

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 387

CONTAINER NO. R26 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 105

DATE APR 16 1961 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 388

CONTAINER NO. R44 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 128

DATE APR 16 1961 SPEEDOMETER

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 389

CONTAINER NO. R25 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 127

DATE APR 10 [illegible] SPEEDOMETER _____

LOCALITY 11 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 390

CONTAINER NO. R25 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 113

DATE APR 16 1961 SPEEDOMETER _____

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 391

CONTAINER NO 89 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 144

DATE APR 16 1961 SPEEDOMETER _____

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 392

CONTAINER NO. R9 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 122

DATE APR 16 1961 SPEEDOMETER

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 393

CONTAINER NO. R9 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 129

DATE APR 1 6 1961 SPEEDOMETER _____

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 394

CONTAINER NO. R ~~3~~ 1 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 128

DATE MAY 6 1961 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 395

CONTAINER NO. R33 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 118

DATE MAY 6 1961 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 396

CONTAINER NO. R33 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 125

DATE MAY 6 1961 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 397

CONTAINER NO. R 11 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 133

DATE MAY 6 1971 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 398

CONTAINER NO. R11 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 125

DATE MAY 6 1961 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 399

CONTAINER NO. R24 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 128

DATE MAY 6 1961 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES DIPSOSAURUS DORSALIS TAG NO. 400

CONTAINER NO. R24 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 120

DATE MAY 6 1961 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

R-351

STEEL BACKPLATE

S. E. & M. VERNON, INC.

U. S. A.